

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

RWS&S–NRDWP-SLSSC 2012-13–Administrative sanction for 23 Sustainability structures approved during the SLSSC meeting held on 2.6.2012 costing **Rs.1309.50 lakhs** under **NRDWP-Sustainability** grant with 100% GOI share-Accorded-Orders-Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (RWS.II) DEPARTMENT

G. O. Rt .No. 1411

Dated: 28 .07.2012

Read :

Letter No.AEE/DEE(Plg)/SLSSC/2012-13-12 dated 23.6.2012 of SO&ENC, RWS&S, Hyderabad.

ORDER:

The Engineer-in-Chief, Rural water Supply and Sanitation Department, Hyderabad in his letter read above has submitted the proposals for 23 Sustainability structures with an estimated cost of **Rs.1309.50 lakhs** (Rupees Thirteen crores nine lakhs and fifty thousand only) which were approved by SLSSC during the meeting held on 2.6.2012 for according administrative sanction under **NRDWP-Sustainability** grant with 100% GOI share. The Engineer-In-Chief has further stated that the approved sustainability works include 2 ground water sanctuaries in Chittoor at an estimated cost of Rs.52.50 lakhs and 21 sub-surface dykes in 6 Districts at an estimated cost of Rs.1257.00 lakhs.

2. The Government after careful examination of the request of the Engineer-in-Chief, Rural Water Supply and Sanitation Department, Hyderabad here by accord sanction for 23 Sustainability structures with an estimated cost of **Rs.1309.50 lakhs** (Rupees Thirteen crores nine lakhs and fifty thousand only) under **NRDWP-Sustainability** grant with 100% by GOI, as cleared by the State Level Schemes Sanctioning Committee meeting held on 2.6.2012. The details of sanctioned work are enclosed in Annexure-I and II.

Rs in Lakh

| Sl.No | Name of the Structure | No of works | Estimate Cost | Habs | Population |
|-------|-------------------------|-------------|---------------|------|------------|
| 1 | Sub-Surface dykes | 21 | 1257.00 | 90 | 149404 |
| 2 | Ground water sancturies | 2 | 52.50 | 2 | 1306 |

3. The Engineer-in-Chief, Rural water supply & Sanitation Department, Hyderabad, is requested to limit the expenditure to **Rs.1309.50 lakhs** (Rupees Thirteen crores nine lakhs and fifty thousand only) and details of all works should be uploaded on IMS “Watersoft” System.

4. The Engineer-in-Chief, Rural water Supply and Sanitation Department, Hyderabad is requested to scrupulously follow the guidelines of NRDWP and utilize the funds as per financial rules. No changes shall be made on ground without following due procedure.

5. For any change from sanctioned technical estimates during execution, the agreement authority shall approach the approving authority concerned in writing. No assumption of approval should be made unless approval is received in writing. The Technical sanction to be accorded must fully conform to the above administrative sanction components only.

6. The Engineer-in-Chief, Rural water Supply and Sanitation Department, Hyderabad, while conveying the technical approval/sanction should ensure that necessary instructions shall be incorporated therein to all the agreement authorities (SEs) to follow the sequential order i.e. **head-to-tail approach** scrupulously (i) in grounding works, and (ii) while sanctioning payment.

(P.T.O)

7. The list of habitations in each Scheme is Annexure in this order. No changes in coverage of habitation shall be made without the approval of the Government.
8. The DPR properly approved by competitive authorities should be forwarded to the Government.
9. The per capita capital cost and other technical parameters should be informed to the Government.
10. The Engineer-in-Chief, Rural Water Supply and Sanitation Department, shall examine the sustainability and report to the Government.
11. A copy of this order is available on the internet and can be accessed at the address – <http://www.ap.gov.in/goir>

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ
SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief, RWS&S, SRTGN Bhavan, Errum Manzil Colony, Hyderabad(w.es).

The Accountant General, AP, Hyderabad.(w.es).

The Sr. Dy. Account General, (LABA), O/o The Accountant General, AP, Hyderabad (w.es).

The Superintending Engineer, RWS&S concerned

Copy to:

The Secretary, MDWS, GOI, New Delhi.(w.es)

The P.S. to M (PR &RWS). (w.es)

The P.S. to Secy., (RWS&S) (w.es)

SF/SC

//FORWARDED BY ORDER//

SECTION OFFICER

Checkslip for sustainability works under NRDWP-Sustainability component**Sub-surface dykes**

| Sl. No. | District | Mandal | Name of the sustainability Work proposed | Est .Cost in Lakhs | Habs. benifted | Pop. | Status of ground water OE/C/S C/Safe |
|---------|--------------|-------------------|--|--------------------|----------------|-------|--------------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Medak | Papannapet | Sub Surface Dyke at Manjeera River at CPWSS Edupayala of Papannapet Mandal | 50.00 | 12 | 27036 | Safe |
| 2 | Karimnagar | Bheemadevrapalli | C/o Sub Surface Dyke at Mulkanur | 40.00 | 1 | 8054 | C |
| 3 | Karimnagar | Chigurumamidi | C/o Sub Surface Dyke at Nawabpet | 40.00 | 1 | 3022 | SC |
| 4 | Karimnagar | Elkathurthy | C/o Sub Surface Dyke at Kothulanaduma | 40.00 | 1 | 1379 | SC |
| 5 | Karimnagar | Husnabad | C/o Sub Surface Dyke at Potlapalli | 60.00 | 1 | 2685 | C |
| 6 | Karimnagar | Koheda | C/o Sub Surface Dyke at Thangallapalli | 60.00 | 1 | 3319 | C |
| 7 | Karimnagar | Gambhiraopet | C/o Sub Surface Dyke at Malla Reddypet | 60.00 | 1 | 3336 | C |
| 8 | Karimnagar | Musthabad | C/o Sub Surface Dyke at Avunur | 60.00 | 1 | 3914 | C |
| 9 | Karimnagar | Musthabad | C/o Sub Surface Dyke at Kondapur | 60.00 | 1 | 2117 | C |
| 10 | Karimnagar | Yellareddipet | C/o Sub Surface Dyke at Garjanapalli | 60.00 | 1 | 1644 | C |
| 11 | Karimnagar | Yellareddipet | C/o Sub Surface Dyke at Haridasnagar | 60.00 | 1 | 1073 | C |
| 12 | Karimnagar | Sircilla | C/o Sub Surface Dyke at Sardapur | 60.00 | 3 | 1985 | C |
| 13 | Vijayanagara | Gantyada / S.Kota | C/o Sub Surface Dyke at CPWS Scheme to Gostani Drinking water Project | 80.00 | 26 | 40698 | Safe |
| 14 | Vijayanagara | Sitanagaram | C/o Sub Surface Dyke at CPWS Scheme to Seetanagaram and other habitations | 112.00 | 16 | 15769 | Safe |
| 15 | Anantapur | Singanamala | Construction of sub-surface dyke Salakamcheruvu | 50.00 | 1 | 1441 | safe |
| 16 | Anantapur | Singanamala | Construction of sub-surface dyke Cheelepalli | 25.00 | 1 | 449 | safe |
| 17 | Anantapur | Tadipatri | Construction of sub-surface dyke Brahamanapalli | 30.00 | 1 | 508 | safe |
| 18 | KURNOOL | Aspari | Construction of sub-surface dyke across River Hundri at Karumanchi | 24.00 | 1 | 2668 | Safe |
| 19 | KURNOOL | Aspari | Construction of sub-surface dyke across River Hundri at Banavanur | 18.00 | 1 | 2025 | Safe |

Sub-surface dykes

| Sl. No. | District | Mandal | Name of the sustainability Work proposed | Est .Cost in Lakhs | Habs. benifi tted | Pop. | Status of ground water OE/C/S C/Safe |
|---------|----------|-----------|---|--------------------|-------------------|--------|--------------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 20 | KURNOOL | Aspari | Construction of sub-surface dyke across River Hundri at Khyruppala | 18.00 | 1 | 3183 | Safe |
| 21 | Nellore | KOTA | CONSTRUCTION OF SUB SURFACE DYKE ON SWARNAMUKHI RIVER AT KASIPURAM OF VAKADU MANDAL | 250.00 | 10 | 17461 | |
| | | CHITTAMUR | | | 6 | 5223 | |
| | | VAKADU | | | 1 | 415 | |
| | | Total | | 1257.00 | 90 | 149404 | |

VIKAS RAJ
SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER

Proposals for sustainability works under NRDWP-Sustainability component

Ground Water sanctuaries.

| SI No | District | Mandal | Name of the sustainability work | Est .Cost in Lakhs | Habs. benif itted | Pop. | Status of ground water OE/C/S C/Safe |
|-------|----------|--------------|---|--------------------|-------------------|------|--------------------------------------|
| 1 | Chittoor | B.KothaKota | Construction of Ground water sanctuary components at Gunthavari Palle H/O Seelamveripalle | 31.00 | 1 | 410 | Non-Safe Flouride |
| 2 | Chittoor | Kurabalakota | Construction of Ground water sanctuary components at Mandyamvaripalle H/o Thettu | 21.50 | 1 | 896 | Source Dried UP |
| | | Total | | 52.50 | 2 | 1306 | |

VIKAS RAJ
SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER